



# **BILLET ALUMINUM MIRRORS**

**FFG UNIVERSAL**



# INTRODUCTION

Thank you for purchasing the Universal Billet Aluminum Mirrors!

Give your truck a new look with these new Fat Fender Garage Billet Mirrors. There's no need to question if these are right for your truck. These FFG mirrors were specifically designed to fit both Ford and Chevy trucks with square-type body style, allowing the mirror to sit flush against the door panel.

With this FFG mirror design, installation is made easy with minimal tools and the help of a friend. If you have any questions or concerns with install, please reach out to our team.

## WHAT COMES IN THE BOX

- 2 - Billet Mirrors
- 2 - Mirror Arms
- 4 - Threaded Studs
- 4 - Nylon-Insert Locknut
- 2 - Washer Plate
- 2 - Plate Gaskets

## TOOLS NEEDED

- Set of small wrenches
- Set of Allen wrenches
- Loctite Threadlocker


You will need help positioning the mirror in place, have a friend assist with this for best results.



# INSTALLATION INSTRUCTIONS

## 1) LOOSEN BALL SCREW

- a) The Ball screw on the backside of the mirror bezel has 6 socket cap screws holding the ball in place.
- b) DO NOT FULLY LOOSEN the screws on the backside, instead loosen each screw slightly until the ball joint is easily movable and can rotate.
- c) Apply loctite to the threads of the screw and fasten it into the mirror arm using a 5/16 wrench.



## 2) TIGHTEN FASTENERS

- a) Once you have fully seated the ball screw into the mirror arm, tighten all the socket cap screws back down to hold the mirror still in a neutral position for easier mounting of the mirror.





# INSTALLATION INSTRUCTIONS

## 3) MOUNT THE MIRRORS

- a) Once the mirror is assembled, sit in your drivers seat and have a friend hold the mirror in place and adjust until you find a position that works for you.
- b) Ensure the mirror is level to the door and mark the mounting holes.
- c) Once you are happy with the mirror placement, drill the mounting holes and have a friend help you mount it from the inside of the door panel.
- c) Use the provided washer plate on the inside of the door panel and tighten the mounting hardware.



## 4) FINAL ADJUSTMENTS

- a) Slightly loosen the 6 screws on the back of the mirror to adjust it to the proper angle, tighten it into place, and enjoy your new FFG Billet Mirrors.

# **FAT FENDER GARAGE**

4160 E Warner Rd STE 101

Gilbert, AZ 85296

480.621.6072

[fatfender.com](http://fatfender.com)